



# BATH WASTE & OVERFLOW

Bath waste and overflow solutions ensure the details match the beauty of your space. Thoughtfully designed, they bring peace of mind and effortless comfort to every bath experience.

## Section Contents

- 175** DoubleFlex™ Adaptor & Feature
- 176** Immerse Feature
- 177** Schedule 20 vs. Schedule 40 Education
- 178** Schedule 40 Cable Operated
- 179** Schedule 20 Cable Operated
- 180 - 181** Brass Cable Operated
- 181** Cable Operated Trim Kits
- 182** Cable Operated Body Only
- 183** Brass Bath Waste & Overflow
- 184** Freestanding Bath Waste & Overflow
- 185 - 186** Exposed Bath Waste & Overflow
- 187** BWO Plumber's Half Kits
- 188 - 189** Bathtub Drains
- 190 - 193** Tub Docking Station

## Fixture Planning Diagrams

Use the bathtub fixture planning diagrams to simplify your product selection and complete your design.

[mountainplumbing.com/fixture-planning-diagrams](http://mountainplumbing.com/fixture-planning-diagrams)



Standard Bathtub



Freestanding Bathtub


## Section Pricing

Scan the QR Code to view prices digitally or download the interactive price PDF.






### Problem/Scenario 1



### Problem/Scenario 2



Comes Standard with Every Schedule 40 Cable Drain -or- Purchase Separately

# DoubleFlex™

Bath waste installations just became faster and easier. **DoubleFlex™** is designed to handle misalignment problems using patented swivel joints at the overflow head and at the sanitary tee.

- 1-1/2" Female x 1-1/2" Male Schedule 40
- Approved for all Drain, Waste, and Vent applications
- Comes Packaged in Clamshell Packaging
- All BWO40S Schedule 40 Cable Drains include 2 DoubleFlex™ Fittings\*

\*One DoubleFlex™ fitting is pre-glued to the overflow head.

Available in PVC and ABS.



Just look for the DoubleFlex™ Icon!



**PVC DoubleFlex™ Adaptor**

**CBWODF-P**



**ABS DoubleFlex™ Adaptor**

**CBWODF-A**




# Immerse

The Mountain Plumbing “Immerse” feature allows you to have the most luxurious bathing experience you’ve ever had! It now comes standard on all Mountain Plumbing cable drains, allowing you to indulge in a more lavish bathing experience. The expertly engineered overflow has been developed for your tub to accommodate a near additional 2 inches of water. To fully take advantage of the immerse feature, simply fill your tub to the height you have been familiar with. Once seated and relaxed in your tub, the amount of displaced water will rise by approximately 2 inches and remain at this level. This additional water depth added to your tub will allow for you to be fully submerged, covering up your bare shoulders, and resulting in a more luxurious bath. It is the ultimate in getting the most out of your bathtub.

Water Level with Our Immerse Feature

- 2” Additional Soaking Room



**Just look for the Immerse Icon!**





## Schedule 20 vs. Schedule 40

When choosing a bath waste & overflow, the type of pipe matters just as much as the style of the trim. Both Schedule 20 and Schedule 40 are available in PVC and ABS, and each has advantages depending on the application.

### Schedule 20 (Thin-Wall)

Lightweight and easy to work with, Schedule 20 is common in residential tub installations. Because it's thinner, it's ideal when the piping will be concealed and only carries drainage water. It makes installation faster and simpler while meeting code in most residential settings.

### Schedule 40 (Standard Thickness)

Stronger and more rigid, Schedule 40 is designed for durability and long-term reliability. It's often required in commercial or multi-family projects, and is the best choice for exposed installations where strength and appearance are important.

### PVC vs. ABS

Both materials are approved for plumbing use. PVC is typically white, smooth, and solvent-welded with primer and cement, while ABS is black, slightly lighter in weight, and bonded with a one-step cement. Local code often dictates which is preferred in your area.

**Always confirm with local plumbing codes whether Schedule 20 or Schedule 40 is required for your project.**

## Schedule 40 ABS & PVC Cable Operated Bath Waste & Overflow Drain with Patented Flexible Overflow Neck

Cable operated bath drain with control knob at overflow. Includes a solid brass or plastic molded trim kit. Schedule 40 pipe with brass parts and 1-1/2" drain with patented, flexible overflow neck conforms to any bathtub angle.

- Patented Flexible Overflow Control Neck
- Pipe not included
- Includes 1-1/2" Sanitary Tee
- Innovative DoubleFlex™ Design for Easy Installation



### For 12" to 22" Tub Depths ABS with Flexible Overflow Neck

#### BWO40S22A2

- Schedule 40 ABS
- Fits 12" to 22" Tub Depths
- Cable Length 27"

Kit Components:

- BWO40S22A2
- TRIMM3

### PVC with Flexible Overflow Neck

#### BWO40S22P2

- Schedule 40 PVC
- Fits 12" to 22" Tub Depths
- Cable Length 27"

Kit Components:

- BWO40S22P2
- TRIMM3

### For 23" to 36" Tub Depths ABS with Flexible Overflow Neck

#### BWO40S45A2

- Schedule 40 ABS
- Fits 23" to 36" Tub Depths
- Cable Length 39"

Kit Components:

- BWO40S45A2
- TRIMM3

### PVC with Flexible Overflow Neck

#### BWO40S45P2

- Schedule 40 PVC
- Fits 23" to 36" Tub Depths
- Cable Length 39"

Kit Components:

- BWO40S45P2
- TRIMM3

### For 36" to 45" Tub Depths ABS with Flexible Overflow Neck

#### BWO40S61A2

- Schedule 40 ABS
- Fits 36" to 45" Tub Depths
- Cable Length 50"

Kit Components:

- BWO40S61A2
- TRIMM3

### PVC with Flexible Overflow Neck

#### BWO40S61P2

- Schedule 40 PVC
- Fits 36" to 45" Tub Depths
- Cable Length 50"

Kit Components:

- BWO40S61P2
- TRIMM3

Available in multiple finishes to match every fixture in your bathroom!

## Schedule 20 1-1/2" Tubular ABS Cable Operated Bath Waste & Overflow Drain with Patented Flexible Overflow Neck

Complete cable operated bath waste & overflow kit includes pipe with trim kit. Molded in ABS and polypropylene using brass components. Includes a solid brass or plastic molded trim kit.

- Schedule 20 1-1/2" Drain
- Patented Flexible Overflow Neck
- For Acrylic, Fiberglass, Cast Iron, Steel, and Whirlpool Tubs
- Can be cut to size by installer



### For 12" to 22" Tub Depths ABS with Flexible Overflow Neck

#### BDR20S22-2

- Vertical Pipe 12" to 22"
- Horizontal Pipe 7" to 12"
- Cable Length 27"

Kit Components:

- BDR20S22-2
- TRIMM3

### For 22" to 28" Tub Depths ABS with Flexible Overflow Neck

#### BDR20S27-2

- Vertical Pipe 22" to 28"
- Horizontal Pipe 7" to 12"
- Cable Length 39"

Kit Components:

- BDR20S27-2
- TRIMM3

### For 22" to 28" Tub Depths ABS with Flexible Overflow Neck

#### BDR20S35-2

- Vertical Pipe 22" to 28"
- Horizontal Pipe 13" to 20"
- Cable Length 39"

Kit Components:

- BDR20S35-2
- TRIMM3

### For 22" to 28" Tub Depths ABS with Flexible Overflow Neck

#### BDR20S45-2

- Vertical Pipe 22" to 28"
- Horizontal Pipe 22" to 27"
- Cable Length 39"

Kit Components:

- BDR20S45-2
- TRIMM3

### For 26" to 33" Tub Depths ABS with Flexible Overflow Neck

#### BDR20S61-2

- Vertical Pipe 26" to 33"
- Horizontal Pipe 22" to 29"
- Cable Length 50"

Kit Components:

- BDR20S61-2
- TRIMM3

Available in multiple finishes to match every fixture in your bathroom!



### Brass Body Cable Operated Bath Waste & Overflow Drain with Patented Flexible Overflow Neck

Complete cable operated bath waste & overflow kit includes pipe with trim kit. Includes a solid brass molded trim kit.

- 1-1/2" 17 Gauge Tube
- Patented Flexible Overflow Neck swivels and conforms to any angle bathtub

#### For 22" Tub

##### Brass with Flexible Overflow Neck

##### BDR20SBR22

- Vertical Pipe 12" to 22"
- Horizontal Pipe 7" to 13"

Kit Components:

- BDR20SBR22
- TRIMM3

#### For 27" Tub

##### Brass with Flexible Overflow Neck BDR20SBR27

- Vertical Pipe 22" to 27"
- Horizontal Pipe 7" to 13"

Kit Components:

- BDR20SBR27
- TRIMM3



### Brass Body Cable Operated Bath Waste & Overflow Drain with Rigid Overflow Neck

Complete cable operated bath waste & overflow kit includes pipe with trim kit. Includes a solid brass molded trim kit.

- 1-1/2" 17 Gauge Tube
- Rigid Overflow Neck

#### For 22" Tub

##### Brass with Rigid Overflow Neck BDR20BR22

- Vertical Pipe 12" to 22"
- Horizontal Pipe 7" to 13"

Kit Components:

- BDR20BR22
- TRIMM3

#### For 27" Tub

##### Brass with Rigid Overflow Neck BDR20BR27

- Vertical Pipe 22" to 27"
- Horizontal Pipe 7" to 13"

Kit Components:

- BDR20BR27
- TRIMM3

Available in multiple finishes to match every fixture in your bathroom!

**IMMERSE**  
See Page 176



### Brass Body Cable Operated Bath Waste & Overflow Drain with Patented Flexible Overflow Neck

Complete cable operated bath waste & overflow kit includes pipe with trim kit. Includes a solid brass molded trim kit.

- 1-1/2" 17 Gauge Tube
- Patented Flexible Overflow Neck swivels and conforms to any angle bathtub
- Designed for Center Drain Tubs

### For 21" Center Drain Tub

#### Brass with Flexible Overflow Neck BDR20SBR45

- Vertical Pipe 12" to 21"
- Horizontal Pipe 13" to 21"

Kit Components:

- BDR20SBR45
- TRIMM3



### Round Trim for All Cable Operated Drains

#### TRIMM3

Round trim is used for cable operated bathtub drains. Available in multiple finishes to match every fixture in your bathroom!

Available in Molded Plastic or Solid Brass.

Available in multiple finishes to match every fixture in your bathroom!



### Handle for ADA Extension to TRIMM3

#### MTLEVTDL

Handle for ADA Extension to TRIMM3 round bathtub trim. TRIMM3 is used for cable operated bathtub drains. Available in Polished Chrome only.



### Pressure Test Kit for Cable Operated Bath Drain

#### BDR/TESTKIT1

Pressure Test Kit for all ABS, PVC, & Polypropelene Schedule 20 and Schedule 40. Enables pressure testing of your cable operated bath waste drains. Use with Mountain Plumbing bath waste & overflows only.



### Cable Operated Drain with Patented Flexible Overflow Control Neck - ABS or PVC - Pipe Not Included

#### BWO40S

Cable operated bath drain with control knob at overflow. Schedule 40 pipe with brass parts and 1-1/2" drain with patented, flexible overflow neck conforms to any bathtub angle. Overflow with swivel action using patented swivel ball joint. Drain comes in either ABS or PVC. Use with TRIMM3 Kit. Pipe not included. All installation hardware included.

Three Sizes Available in ABS (A)

- BWO40S22A2 (for 12" - 22" tub depth)
- BWO40S45A2 (for 23" - 36" tub depth)
- BWO40S61A2 (for 36" - 45" tub depth)



Three Sizes Available in PVC (P)

- BWO40S22P2 (for 12" - 22" tub depth)
- BWO40S45P2 (for 23" - 36" tub depth)
- BWO40S61P2 (for 36" - 45" tub depth)




### Schedule 20 1-1/2" Tubular ABS Cable Operated Bath Waste & Overflow - Body Only - Patented Flexible Overflow Neck

#### BDR20S

Complete schedule 20 1-1/2" tubular bath drain with patented flexible overflow neck, molded in ABS using metal components. For use with TRIMM3 Kit. All installation hardware included.

Five Sizes Available:

- BDR20S22-2 (for 12" - 22" tub depth)
- BDR20S27-2 (for 22" - 28" tub depth)
- BDR20S35-2 (for 22" - 28" tub depth)
- BDR20S45-2 (for 22" - 28" tub depth)
- BDR20S61-2 (for 26" - 33" tub depth)



### Cable Operated Bath Waste & Overflow - Body Only - Brass with Patented Flexible Overflow Neck

#### BDR20SBR

1-1/2" 17 gauge pipe, solid brass tub drain with our patented, flexible overflow to conform to any angle bath. Comes with factory sealed swivel overflow neck. Use with TRIMM3 Kit. A premium drain for those who want the best! Patent ball joint.

Three Sizes Available:

- BDR20SBR22 (for 12" - 22" tub depth)
- BDR20SBR27 (for 22" - 28" tub depth)
- BDR20SBR45 (for 22" - 28" tub depth)



### Cable Operated Bath Waste & Overflow - Body Only - Brass with Rigid Overflow Neck

#### BDR20BR

1-1/2" 17 gauge pipe, solid brass tub drain with rigid overflow neck. Use with TRIMM3 Kit. A premium drain for those who want the best! Patent ball joint.

Two Sizes Available:

- BDR20BR22 (for 12" - 22" tub depth)
- BDR20BR27 (for 22" - 28" tub depth)



### Economy Lift & Turn Style Bath Waste & Overflow Drain (Brass Body)

- 1-1/2" 17 Gauge Tube
- Brass body drain with 3" tailpiece
- Includes lift and turn trim kit
- Economy face plate has two exposed screws

#### HBDWLT22

- Vertical Pipe 20" - 26"
- Horizontal Pipe 5" - 14"

#### HBDWLT45

- Vertical Pipe 26" - 34"
- Horizontal Pipe 14" - 28"
- For Center Drain Tubs



### Deluxe Lift & Turn Style Bath Waste & Overflow Drain (Brass Body)

- 1-1/2" 17 Gauge Tube
- Brass body drain with 3" tailpiece
- Includes lift and turn trim kit
- Designer face plate features no exposed screws

#### BDWUNLT22

- Vertical Pipe 20" - 26"
- Horizontal Pipe 5" - 14"

#### BDWUNLT45

- Vertical Pipe 26" - 34"
- Horizontal Pipe 14" - 28"
- For Center Drain Tubs



### Soft Toe Touch Style Bath Waste & Overflow Drain (Brass Body)

- 1-1/2" 17 Gauge Tube
- Brass body drain with slim design overflow cover and 3" tailpiece
- Includes EZ-Click™ trim kit with lifetime warranty on drain mechanism
- Designer face plate features no exposed screws

#### BDWUNV22

- Vertical Pipe 20" - 26"
- Horizontal Pipe 5" - 14"

#### BDWUNV45

- Vertical Pipe 26" - 34"
- Horizontal Pipe 14" - 28"
- For Center Drain Tubs



### Clawfoot Style Bath Waste & Overflow with Lift & Turn Trim Kit (Brass Body)

#### BDLTCFT22

Clawfoot Style bath waste and overflow is a completely polished and plated 17 gauge tube. Designed for exposed applications in clawfoot and slipper style bathtubs.

- Solid Brass Body
- Includes Lift & Turn Trim Kit

IMMERSE

See Page 176



### Clawfoot Style Bath Waste & Overflow with EZ-Click™ Trim Kit (Brass Body)

#### BDSCFT22

Clawfoot Style bath waste and overflow is a completely polished and plated 17 gauge tube. Designed for exposed applications in clawfoot and slipper style bathtubs.

- Solid Brass Body
- Patented Flexible Overflow Control Neck
- Includes EZ-Click™ trim kit with lifetime warranty on drain mechanism



### Clawfoot Style Bath Waste & Overflow with Brass Plug and Chain (Brass Body)

#### BDPCCFT22

Clawfoot Style bath waste and overflow is a completely polished and plated 17 gauge tube. Designed for exposed applications in clawfoot and slipper style bathtubs.

- Solid Brass Body
- Includes Brass Plug and Chain



**Exposed Bottom Outlet Bath Waste & Overflow with Swivel Neck & EZ-Click™ Drain**

**BDEXP1**

Designed for tubs requiring exposed bath waste and overflow.

- Fully Plated Solid Brass Body
- 17 Gauge Tube
- Swivel Overflow Neck
- Designer Face Plate with No Holes
- Deluxe EZ-Click™ Drain



**Exposed Bottom Outlet Bath Waste & Overflow with Swivel Neck & EZ-Click™ Drain (Extended)**

**BDEXP1-VA**

Designed for tubs requiring exposed bath waste and overflow and a longer horizontal drain pipe.

- Fully Plated Solid Brass Body
- 17 Gauge Tube
- Swivel Overflow Neck
- Designer Face Plate with No Holes
- Deluxe EZ-Click™ Drain
- 22" Horizontal Tube



**Exposed Overflow Drain with Swivel Neck & Detached EZ-Click™ Drain**

**BDEXP3**

Designed for tubs requiring exposed bath waste and overflow.

- Fully Plated Solid Brass Body
- 17 Gauge Tube
- Swivel Overflow Neck
- Designer Face Plate with No Holes
- Deluxe EZ-Click™ Drain



### Exposed Direct Outlet Bath Waste & Overflow with Swivel Neck & EZ-Click™ Drain

#### BDEXP2

Designed for tubs requiring exposed bath waste and overflow.

- Fully Plated Solid Brass Body
- 17 Gauge Tube
- Swivel Overflow Neck
- Designer Face Plate with No Holes
- Deluxe EZ-Click™ Drain



### Exposed Direct Outlet Bath Waste & Overflow with Swivel Neck & EZ-Click™ Drain (Extended)

#### BDEXP2-VA

Designed for tubs requiring exposed bath waste and overflow and a longer horizontal drain pipe.

- Fully Plated Solid Brass Body
- 17 Gauge Tube
- Swivel Overflow Neck
- Designer Face Plate with No Holes
- Deluxe EZ-Click™ Drain
- 22" Horizontal Tube



### Exposed Overflow Drain with Swivel Neck, Detached EZ-Click™ Drain, & Tub Docking Station

#### BDEXP3-DS

Designed for tubs requiring exposed bath waste and overflow. The Drain utilizes the Tub Docking Station

- Fully Plated Solid Brass Body
- 17 Gauge Tube
- Swivel Overflow Neck
- Designer Face Plate with No Holes
- Deluxe EZ-Click™ Drain
- Includes Tub Docking Station

IMMERSE

See Page 176



**ABS & PVC Plumber's Half Kit with Economy Lift & Turn Trim (Two Hole Face Plate)**

**BDWPLTA (ABS)**  
**BDWPLTP (PVC)**

- Economy Lift & Turn Plumber's Half Kit with Two Hole Face Plate
- All half kits contain rigid overflow elbow, drain shoe, tee, trim kit, and test plugs
- Pipe not included in half kits

IMMERSE

See Page 176



**ABS & PVC Plumber's Half Kit with Deluxe Lift & Turn Trim (Designer Face Plate)**

**BDWUNLTA (ABS)**  
**BDWUNLTP (PVC)**

- Deluxe Lift & Turn Plumber's Half Kit with Designer Face Plate
- All half kits contain rigid overflow elbow, drain shoe, tee, trim kit, and test plugs
- Pipe not included in half kits

IMMERSE

See Page 176



**ABS & PVC Plumber's Half Kit with Economy Soft Toe Touch Trim (Two Hole Face Plate)**

**BDWPTTA (ABS)**  
**BDWPTTP (PVC)**

- Economy Soft Toe Touch Plumber's Half Kit with Two Hole Face Plate
- All half kits contain rigid overflow elbow, drain shoe, tee, trim kit, and test plugs
- Pipe not included in half kits

IMMERSE

See Page 176



**ABS & PVC Plumber's Half Kit with EZ Click™ Trim (Designer Face Plate)**

**BDWUNVA (ABS)**  
**BDWUNVP (PVC)**

- Includes EZ-Click™ trim kit with lifetime warranty on drain mechanism
- All half kits contain rigid overflow elbow, drain shoe, tee, trim kit, and test plugs
- Pipe not included in half kits



### Drain Trim Kit with Deluxe EZ-Click™

#### UNVTRIM

Round style trim kit will fit most manufacturer's drain bodies. Lifetime warranty on EZ-Click™ "soft touch" drain mechanism.

- Trim Only - No Elbow, Pipe, or Drain Shoe Included
- Will fit drain bodies with: 1-1/2 - 11-1/2 NPSM thread with bushing or 1-3/8 - 16 fine thread
- Designer face plate with no holes
- Suitable for most overflows with one or two screw installation



### Economy Soft Toe Touch Round Trim Kit

#### MT94-2

Economy Soft Toe Touch round trim kit will fit most manufacturer's drain bodies. Trim Only - No Elbow, Pipe, or Drain Shoe Included

- Trim Only - No Elbow, Pipe, or Drain Shoe Included
- Will fit drain bodies with 1-1/2 - 11-1/2 NPSM thread
- Two-Hole Face Plate



### Deluxe Lift & Turn Drain Trim

#### UNVLT

Deluxe Lift and Turn trim kit will fit most manufacturer's drain bodies: 1-1/2 - 11-1/2 NPSM thread with bushing or 1-3/8 - 16 fine thread on the drain flange.

- Trim Only - No Elbow, Pipe, or Drain Shoe Included
- Drain for lift and turn with bushing and washer
- Designer face plate with no holes
- Suitable for most overflows with one or two screw installation



### Economy Lift & Turn Drain Trim

#### HTRLT

Economy Lift and Turn trim kit will fit most manufacturer's drain bodies: 1-1/2 - 11-1/2 NPSM thread on the drain flange.

- Trim Only - No Elbow, Pipe, or Drain Shoe Included
- Drain for lift and turn with washer
- Two-Hole Face Plate

The Following Are For Tubs with Built-In Overflows:



**Dome Style EZ-Click™ Bath Tub Drain with Overflow (drain tube not included)**

**BDWOF-ST**

- EZ-Click™ dome style bath drain with overflow for tubs with built in overflow
- 2-1/2" Long drain body
- 1-1/2 - 11-1/2 NPSM thread
- Female thread for 1-1/2" brass tube (not included)
- Maximum 1" thick tub drain overflow
- 2" Drain hole required

*\* BDWOF-ST is not compatible with the Tub Docking Station (BDWOF-DS, BDWOF-DSTRIM, BDWOF-DSNSTRIM, BDWOF-DSROUGH)*



**Dome Style EZ-Click™ Bath Tub Drain without Overflow (drain tube not included)**

**BDWOF-ST-NS**

- EZ-Click™ dome style bath drain without overflow
- 2-1/2" Long drain body
- 1-1/2 - 11-1/2 NPSM thread
- Female thread for 1-1/2" brass tube (not included)
- 2" Drain hole required

*\* BDWOF-ST-NS is not compatible with the Tub Docking Station (BDWOF-DS, BDWOF-DSTRIM, BDWOF-DSNSTRIM, BDWOF-DSROUGH)*



**EZ-Click™ Bath Tub Drain with Overflow (drain tube not included)**

**BDWOF-ST-O**

- EZ-Click™ bath drain with overflow for tubs with built in overflow
- 2-1/2" Long drain body
- 1-1/2 - 11-1/2 NPSM thread
- Female thread for 1-1/2" brass tube (not included)
- Maximum 1" thick tub drain overflow
- 2" Drain hole required

*\* BDWOF-ST-O is not compatible with the Tub Docking Station (BDWOF-DS, BDWOF-DSTRIM, BDWOF-DSNSTRIM, BDWOF-DSROUGH)*



**EZ-Click™ Bath Tub Drain with Overflow and 5" Tailpiece Included**

**BDWOF-VA13**

- EZ-Click™ bath drain with overflow for tubs with built in overflow
- 2-1/2" Long drain body
- 1-1/2 - 11-1/2 NPSM thread
- Female thread for 1-1/2" brass tube
- 2" Drain hole required
- Includes 5" threaded brass tailpiece

*\* BDWOF-VA13 is not compatible with the Tub Docking Station (BDWOF-DS, BDWOF-DSTRIM, BDWOF-DSNSTRIM, BDWOF-DSROUGH)*



FREESTANDING TUB

# Docking Station

The Mountain Plumbing Tub Docking Station **makes installation easier, cleaner, and more secure.** By providing a dedicated mounting point for your bath waste and overflow, the Docking Station ensures precise alignment and lasting stability.

Engineered for efficiency and lowered risk of damage, it **simplifies the process for both plumbers and homeowners** by reducing guesswork and improving reliability. The result is a sleek, professional installation that enhances both the performance and the appearance of your freestanding tub system.




**NO LIFTING. NO TILTING.**  
Simpler, Safer  
Installations




## How Does It Work?




**Step 1:** Install Deck Flange




**Step 2:** Measure distance from bottom of the tub to the floor; cut tail piece to length




**Step 3:** Slide tub and align drain holes



**Step 4:** Using the long tool, pull the tail piece to create seal underneath the tub



**Step 5:** Thread the trim through the drain hole and tighten with smaller tool



**Step 6:** Install the drain stopper



H2O Delivery - Mechanical



## Tub Docking Station - Freestanding Tub Drain Rough-In with Trim - Complete Kit

### BDWOF-DS

The Mountain Plumbing Docking Station is the ultimate solution to quickly and easily install a freestanding bathtub.

- EZ-Click™ tub drain with brass tailpiece
- ABS and PVC adapter kits included
- Asymmetrical metal deck flange provides easier installation in tight spaces
- Removable drain stopper allows for easier cleaning
- For freestanding tubs with integrated overflow and 2" drain hole

### Docking Station Benefits:

- Easier to install when compared to similar products from our competitors.
- Does not require the tub to be placed on its side (which prevents the possibility of the tub being scratched).
- Product includes the drain; competitors sell this separately.
- Drain is removable after installation without removing the entire tub.
- Removable drain plug with hair catcher for easier cleaning.
- Plug top is removable to allow for easy access to snake the drain line.
- Tub can be water tested and then easily removed to store in a safe place to avoid damage.



### Tub Docking Station - Trim Kit with Overflow

Only Compatible with the **BDWOF-DSROUGH**

#### BDWOF-DSTRIM

- EZ-Click™ tub drain with brass tailpiece
- All Tools for Trim Assembly
- Drain Comes with Overflow



### Tub Docking Station - Trim Kit without Overflow

Only Compatible with the **BDWOF-DSROUGH**

#### BDWOF-DS-NSTRIM

- EZ-Click™ tub drain with brass tailpiece
- All Tools for Trim Assembly
- Drain Comes without Overflow



### Tub Docking Station - Rough Kit

Only Compatible with the **BDWOF-DSTRIM**

#### BDWOF-DSROUGH

- Floor Rough
- PVC and ABS Adaptors



### Tub Docking Station - Spacer


#### BDWOF-DS/SPACER

- This spacer is required for installation on tubs between 3/4" to 1-1/4" thick at the drain hole
- Not needed for tubs thicker than 1-1/4"
- Buna-N rubber seals against underside of tub


*Installing a freestanding tub the traditional way isn't super complicated, but it is cumbersome and a lot can go wrong.*

## The Old Way


Must **tilt tub on side and lift** to connect tailpiece - **increases risk of scratches and cracks**




**High damage risk** when **lifting and lowering tub to install**



**Lifting and lowering** installation **requires more labor** and **adds cost** to project




**Impossible to snake** without **removing tub** completely to gain access




## Docking Station Way

**No tilting or lifting required** to attach tailpiece before placing tub - **decreases risk of scratches and cracks**




**Low damage risk** because **no lifting or lowering** required for tub installation



**Sliding tub into place** to install **requires less labor** and **helps control cost** of project



**Removable clicker drain** allows easy access **to snake drain and clear clogs**



In stock and ready to ship as an innovative solution to quickly and easily install freestanding bathtubs whenever you make a purchase!

Please Scan QR Code to the left or visit [mountainplumbing.com/tub-docking-station](http://mountainplumbing.com/tub-docking-station) to Learn More!