



FILTERS, FAUCETS, & WATER APPLIANCES

Better water, right where you need it. Mountain's filtration systems, hot tanks, chillers, and accessory faucets deliver clean, convenient, and great-tasting water with ease and a style to match your kitchen.


Section Contents

- 43 -44** Little Gourmet® Hot Water Dispenser
- 45** Installation with Extended Warranty
- 46** Mountain EMBER™ Digital Heating Tank
- 47 - 48** Mountain Chill® Water Chiller
- 48** Safety Valve-Leak Detector
- 49 - 54** Mountain Pure® Water Filtration
- 55 -56** Accessory Faucets Overview
- 56** Accessory Faucet Duet Finishes
- 57 - 63** Hot Water Faucets
- 64 - 66** Hot Water Faucet DIY Kits
- 67 - 73** Hot & Cold Water Faucets
- 73 - 74** Single Handle Hot & Cold Faucet
- 74 - 76** Hot & Cold Water Faucet DIY Kits
- 77 - 83** Cold Point-of-Use Drinking Faucets
- 84 - 86** Cold Point-of-Use Drinking Faucet FIL Kits
- 87** Additional Point-of-Use Drinking Faucets
- 88** Faucet Air Gaps
- 88** Replacement Cartridges
- 89** Faucet Installation Resources


Fixture Planning Diagrams

Use the kitchen fixture planning diagrams to simplify your product selection and complete your design.

mountainplumbing.com/fixture-planning-diagrams



Kitchen Sink



Bar/Prep Sink

Section Pricing

Scan the QR Code to view prices digitally or download the interactive price PDF.





LITTLE GOURMET®

Instant Hot Water

The Mountain Plumbing Instant Hot Water Tank brings everyday convenience right to your kitchen. Designed to deliver near-boiling water on demand, it **simplifies countless daily tasks** from making tea and coffee to speeding up meal prep.

Compact and efficient, the tank installs neatly under your sink and pairs seamlessly with Mountain's accessory faucets. Reliable performance and thoughtful engineering ensure you **always have hot water when you need it**, saving both time and energy while elevating your kitchen experience.



[View Full Product Feature Page](#)





MT641-3

Solve Many Everyday Kitchen Tasks

Boil Water Faster

Starting off with Little Gourmet hot water will lead to quicker boiling water

Instant Water for Tea & Coffee

Quickly and easily make the perfect cup

Clean Stubborn Stuck-on Messes

Difficult to clean dishes and utensils become easy with the cleaning power of instant hot water at your fingertips

Warm Baby Food and Bottles

Little Gourmet hot water can quickly and safely warm baby food and bottles

Loosen Jar Lids

Place the top of a jar briefly under the Little Gourmet to aid in removing difficult to open jar lids

First Aid

Use Little Gourmet hot water to create a hot compress for quick pain relief

Remove Labels from Bottles

A quick run under Little Gourmet's hot water will remove labels and residue

Remove Wax

Instant hot water from the Little Gourmet is perfect for removing wax from candle holders

Melt Chocolate

Quickly create a double boiler with the Little Gourmet hot water to melt chocolate to perfection

Warm Cooking Utensils

Use the Little Gourmet to warm beaters for creaming butter, a knife for cutting cheeses, or for ice cream scoops



Reverse Osmosis Compatible:

Includes Stainless Steel Inlet, Stainless Steel Heating Coil, and Stainless Steel Tank

1300w Power

Compared to 750w for Insinkerator

Energy Efficient


Uses Less Energy than a 40w Light Bulb

2.5 Quart Tank Size

Equivalent to 5/8 Gallon

3 Year Warranty

Extended 4 Year Warranty when paired with any Mountain Pure® Filter



- Indicator Light
- Stainless Steel Housing
- Sensor Prevents Dry Start-Up
- Provides 190 °F Water Instantly
- 7 3/4" Wide x 12" High x 8" Deep

Instant Warmth. Intelligent Control.



**1500 Watt
Heating
Element**

**Temperature
Control
167° - 208° F**



EMBER

Ideal for Everyday Kitchen Tasks

Boil Water Faster

Starting off with on demand hot water will lead to quicker boiling water

Instant Water for Tea & Coffee

Quickly and easily make the perfect cup

Clean Stubborn Stuck-on Messes

Difficult to clean dishes and utensils become easy with the cleaning power of instant hot water at your fingertips

Warm Baby Food and Bottles

On demand hot water can quickly and safely warm baby food and bottles

Loosen Jar Lids

Place the top of a jar briefly under the EMBER to aid in removing difficult to open jar lids

First Aid

Use on demand hot water to create a hot compress for quick pain relief

Remove Labels from Bottles

A quick run under EMBER's hot water will remove labels and residue

Remove Wax

Instant hot water from the EMBER is perfect for removing wax from candle holders

Melt Chocolate

Quickly create a double boiler with on demand hot water to melt chocolate to perfection

Warm Cooking Utensils

Use the EMBER to warm beaters for creaming butter, a knife for cutting cheeses, or for ice cream scoops



Digital Heating Tank

EMBER

Mountain EMBER™ – the intelligent evolution of instant hot. With heating power and digital precision, EMBER™ delivers near-boiling water on demand - every degree, perfectly controlled.

Designed for both performance and refinement, EMBER™ pairs advanced technology with timeless convenience. The intuitive touch-screen interface provides precise temperature control and easy operation, making every interaction effortless. When combined with a Mountain Pure® water filter, EMBER™ provides a seamless, elevated experience - pure, precise, and crafted for those who expect more from their kitchen.


- Touch Screen Digital Display
- Temperature control 167° - 208° F
- 1500w
- 110-120V
- Showroom Exclusive

3 Year Warranty

Extended 4 Year Warranty when paired with any Mountain Pure® Filter

View Full Product Feature Page





Extended Warranty Installation

Standard Installation

MOUNTAIN PLUMBING

Install with Confidence

Proper installation makes all the difference. These diagrams show how the Little Gourmet® and EMBER™ systems connect with a faucet and optional filter. When installed with an MT1250XL Mountain Pure® water filter, your hot tank warranty is extended by one year – **from 3 years to 4 years** – providing added peace of mind and long-term performance.

See All DIY Kit Options

DIY Kit with Hot Faucet
64 - 66

DIY Kit with Hot & Cold Faucet
74 - 76

Choose Your Filter for the Extended Hot Tank Warranty



MT1250XL

Mountain Pure® Point-of-Use Carbon Filtration System

See Page 51



MT3K-HF

Mountain Pure® 3,000 Gallon Full Flow Filter System

See Page 52



MT6K-HF

Mountain Pure® 6,000 Gallon Full Flow Filter System

See Page 52



MOUNTAIN CHILL®

Water Chiller

Have you ever wondered what it would be like to have ice cold water anytime you want without having to wait for it to cool down? An instantly perfect cup of lemonade or ice tea made with the Mountain Chill® Water Chiller is the refreshing way to cool down on a hot summer day. Mountain Chill® hides cleanly and simply beneath the sink and provides 1.5 gallons (per hour) of crisp, cool water from your own faucet.

Having the Mountain Chill® Water Chiller in your home is the ultimate in convenience. When paired with the Mountain Pure® Filtration System, clean, pure, cold water can be yours to enjoy anytime day or night.

[View Full Product Feature Page](#)






MT670-2


Chill On Demand



- Cools your water to between 41° to 50°
- Large 1/2 Gallon Stainless Steel Storage Tank
- Chills up to 3 Gallons Per Hour
- Lead Free
- Attaches to Accessory Faucet
- 16" Wide x 10-1/8" High x 11-3/4" Deep
- 3 Year Compressor Warranty
- C-UL-US, CE, CB Certification
- MT6LD Safety Valve-Leak Detector Included at No Additional Cost



FRONT VIEW



SIDE VIEW



Now Included with the Mountain Chill Water Chiller at No Additional Cost

Safety Valve-Leak Detector

MT6LD

A flood often happens without warning causing substantial flooding and severe property damage if undetected. Mountain Plumbing's safety valve-leak detector automatically shuts off the water source and sounds off an audible alarm (similar to a smoke detector) when moisture is detected.

- Automatically shuts off once water is detected
- Audio alarm when leak occurs
- Operates on 9V battery
- Quick connect 3/8" adaptors included for easy installation
- Use with Mountain Plumbing Little Gourmet® hot tank and/or Mountain Pure® filtration unit



Filtration Types

Point-of-Use (POU)

Compact units installed under the sink and paired with an accessory faucet, POU systems deliver fresh, filtered water right where you need it – for drinking, cooking, and everyday use. They're cost-effective, space-efficient, and ideal for the kitchen.

Full Flow Filtration

These systems connect directly to the main kitchen faucet, providing filtered water without a separate tap. Designed to maintain pressure and flow while removing impurities, full-flow systems offer convenient, complete filtration.

MOUNTAIN PURE®

Kitchen Filtration

Mountain Pure® delivers fresh, pristine water directly through your faucet – the pinnacle of everyday convenience. Access to clean, great-tasting water saves time, money, and reduces bottled water waste. Enjoy pure, safe water for drinking, cooking, and even washing when you install a Mountain Pure® filtration system in your home.

See Pages 51 - 52 for Products



MOUNTAIN PURE®

Whole House Filtration

Mountain Plumbing's Whole House Filtration systems provide clean, great-tasting water for every tap in your home. Installed at the water's entry point, these systems ensure that showers, sinks, and appliances all benefit from filtered water, not just the kitchen.

Engineered with advanced triple-action filtration, whole house filtration removes sediment, reduces chlorine and VOCs, and prevents scale – all while leaving beneficial minerals intact. With salt-free, eco-friendly operation and easy annual maintenance, Mountain's Whole House Filtration offers a healthier, more reliable water solution that protects both your family and your entire plumbing system.

See Page 53 - 54 for Products



12 1/2"



Mountain Pure® Point-of-Use Carbon Filtration System

MT1250XL

Mountain Pure® Carbon Filtration System comes with carbon filter cartridge that incorporates powder activated carbon and a bacteriostatic agent that protects it from bacteria growth. 1/4 Turn automatic shut-off valve, allows for easy replacement and eliminates the usual mess of replacing filters. Includes MT1250XL/RFC Filter.

Mountain Pure® Filter Features:

- More efficient and clog resistant - unique filter media created by attaching powdered activated carbon and lead absorbent material onto a cellulose-free synthetic fiber matrix
- Filter removes 99.9% of particles over .5 microns
- Filter incorporates an anti-microbial agent to reduce bacteria
- Anti-scale media for protection against scale build-up on the faucet and inside of the hot tank
- 1250 gallon capacity - lasts 1 year based on average usage
- Operates without wasting water like R.O. filters



Impurities Removed:
Prevents Scale
Chlorine
Bad Tastes/Odors
Chloramines
Dirt and Rust
Giardia Lambia Cysts
Cryptosporidium Cysts
Molds and Algae
Asbestos Fibers
99.9% of all particles .5 Micron or larger
Lead
Trihalomethanes
Volatile Organic Chemicals
Removes Turbidity
Removes Pathogenic Bacteria
PFAS (Per- and Polyfluoroalkyl Substances)
Other Benefits:
Leaves Essential Minerals Intact
Self Sterilizing
Leaves Natural Minerals such as Calcium, Magnesium, & Potassium
Automatic Shut-Off when Replacing the Cartridge



Mountain Pure® Replacement Cartridge (Fits Model MT1250XL)

MT1250XL/RFC

- Carbon replacement cartridge for MT1250XL water filtration system
- Filter Capacity = 1250 gallons
- Cartridges should be replaced once a year



Our **MT1250XL and MT3K-HF Filters** are independently tested and certified by NSF International against NSF/ANSI Standard 42 and 53 for the reduction of chlorine (Standard No. 42) and lead (Standard No. 53).

Our **MT6K-HF Filter's** Chlorine & Lead reduction capacities are based on laboratory testing conducted using test protocols contained in NSF standards 42 and 53 respectively.



View Full Product Feature Page



Mountain Pure® 3,000 Gallon Full Flow Filter System

MT3K-HF

Mountain Pure® Filter Features:

- 3,000 Gallon Capacity
- No additional faucet required
- Commercial grade plastic canister protects the filter system from splitting or bursting
- Reduces particles as small as 0.5 micron in size by mechanical means
- Retains vital minerals found naturally in water to ensure the health and delicious taste of your water
- Comes with a carbon filter cartridge that incorporates powder activated carbon and a bacteriostatic agent that protects it from bacteria growth.



13 1/2"

Impurities Removed (3K & 6K):

Lead
Sediment
VOC
Pesticides
Hydrogen Sulfide
Aluminum Chlorine
Algae
Turbidity
Pathogenic Cysts
Foul Odors & Tastes
Iron
Molds
Trihalomethanes
Asbestos Fibers
Rust
Suspended Solids
Sub-micron Asbestos
MTBE
PFAS (Per- & Polyfluoroalkyl Substances)



Mountain Pure® Replacement Cartridge (Fits Model MT3K-HF)

MT3K-HF/RFC

- Carbon replacement cartridge for MT3K-HF water filtration system
- Filter Capacity = 3000 gallons
- Cartridges should be replaced once a year



Mountain Pure® 6,000 Gallon Full Flow Filter System

MT6K-HF

Mountain Pure® Filter Features:

- 6,000 Gallon Capacity
- No additional faucet required
- Commercial grade plastic canister protects the filter system from splitting or bursting
- Reduces particles as small as 0.5 micron in size by mechanical means
- Retains vital minerals found naturally in water to ensure the health and delicious taste of your water
- Comes with a carbon filter cartridge that incorporates powder activated carbon and a bacteriostatic agent that protects it from bacteria growth.



18 1/2"



Mountain Pure® Replacement Cartridge (Fits Model MT6K-HF)

MT6K-HF/RFC

- Carbon replacement cartridge for MT6K-HF water filtration system
- Filter Capacity = 6000 gallons
- Cartridges should be replaced once a year



Impurities Removed:

Dirt and Rust Particles 20 Microns or Larger

Chlorine


Bad Tastes/Odors

Volatile Organic Chemicals

Removes Turbidity

Prevents Hard Scale

Protects Plumbing Fixtures and Appliances from Low pH / Aggressive Water




Recommended Installation Diagram



View Full Product Feature Page

MTWHF
WHOLE HOUSE

MTWHF-PRE
PRE FILTER





Mountain Pure® Whole House Filter

MTWHF

- ✔ **Advanced Triple Action Water Treatment (All in One Filter Cartridge):**
 - Depth Filter for 20 micron particle filtration:** Effectively removes particles down to 20 microns, such as dirt and rust. (5 microns with Pre-Filter)
 - Granular Activated Carbon:** Significantly improves taste and odor by filtering out chlorine and other impurities, and reduces Volatile Organic Chemicals (VOCs).
 - Salt-Free Softening & Scale Prevention:** Protects appliances by preventing scale buildup and corrosion from low pH/aggressive water.
- ✔ **Leaves Natural Minerals** such as Calcium, Magnesium, & Potassium.
- ✔ **Water Conservation:** No backwashing every week, which eliminates up to 6,720 gallons of water per year compared to some competitors' filters.
- ✔ **Septic Friendly:** No backwash water and does not add salt to your septic system.
- ✔ **Suitable for city or well water** that does not contain an excessive amount of particles.
- ✔ **Installation Flexibility:**
 - No electrical connection needed.**
 - No drain connection needed.**
 - Mounts on wall and not floor like most competitors.**
- ✔ **Performance:**
 - Max flow rate = 15 GPM; Best flow rate = 8 gpm.**
- ✔ **Maintenance:** Replace cartridges every 12 months
- ✔ **Legal Compliance:** Not subject to salt-softener bans or restrictions.
- ✔ **Certifications:** Components meet or exceed NSF/ANSI Certifications, NSF Standard 42, and NSF Standard 60.
- ✔ **System Recommendation:**
 - 1x Filter for households 1-5 persons.
 - 2x Filters for households of 6+ persons.

Mountain Pure® Whole House Pre-Filter

MTWHF-PRE

- ✔ **For High Sediment Water:** Designed to handle well water or municipal sources with elevated levels of sand, silt, rust, or other particulate matter, ensuring cleaner water enters the main filtration system.
- ✔ **Removes Sediments Down to 5 Microns:** Captures fine particles at the microscopic level, protecting plumbing fixtures and extending the life of the whole house filter cartridge.
- ✔ **Protects Main Filter:** Acts as a first line of defense, reducing the load on the primary whole house filter and lowering long-term maintenance costs.
- ✔ **Improves System Performance:** By removing larger particles upfront, the pre-filter allows the main filter to focus on reducing chlorine, VOCs, and preventing scale buildup.
- ✔ **Easy Cartridge Replacement:** Simple cartridge swaps keep the system running efficiently with minimal downtime.

REPLACEMENT CARTRIDGES

Mountain Pure® Whole House Replacement Cartridge

MTWHF/RFC

- Single Sump / Water Softener
- Replacement for MTWHF
- Replacement recommended every 12 Months

Mountain Pure® Whole House Pre-Filter Replacement Cartridge

MTWHF-PRE/RFC

- Single Sump / Water Softener
- Replacement for MTWHF-PRE



MOUNTAIN PLUMBING

Accessory Faucets

Mountain Plumbing's accessory faucets **bring both style and function to your sink.** Designed to pair seamlessly with our hot tanks, chillers, and filtration systems, these faucets deliver instant hot, cold, or purified water exactly when you need it.

With a variety of designs and finishes, accessory faucets not only provide everyday convenience but also complement your main kitchen faucet. The result is a coordinated look and a more versatile kitchen experience.



[View Product Feature Page](#)



FINISHES TO MATCH ANY STYLE

Accessory faucets are offered in a wide variety of finishes, making it easy to coordinate with your main faucet and overall kitchen design.



ACCESSORY FAUCET

Duet Finishes

Mountain's Duet Finishes bring together two complementary finishes on a single faucet, creating a bold contrast that highlights both color and texture. This distinctive design approach turns the faucet into a statement piece while still coordinating seamlessly with surrounding fixtures and accessories. Duet Finishes offer a versatile way to introduce personality and style into the kitchen or bath without sacrificing performance or function.

Available on MT1820, MT1830, and MT1840 Series Faucets



Knurled Accents Available!

Intricate diamond knurling adds richness and depth to the design of your faucet.

Available Base Finish:
Matte Black (MB)

Available Accent Finishes:
Brushed Nickel (BRN),
Polished Chrome (CPB),
Polished Nickel (PN),
Champagne Bronze (CHBRZ)





For Hot Tank

Hot Only Accessory Faucets
57 - 63

Faucets + Little Gourmet® DIY Packages
64 - 66

For Filters, Chiller, & Hot Tank

Hot & Cold Accessory Faucets
67 - 73

Single Handle Hot & Cold
73 - 74

Faucets + Little Gourmet® DIY Packages
74 - 76

For Filters & Chiller

Cold Accessory Faucets
77 - 83

Faucets + Mountain Pure® FIL Packages
84 - 86

ACCESSORY FAUCETS

HOT WATER

Mountain Plumbing's **hot water accessory faucets** provide instant access to near-boiling water right at your sink. Paired with our premium hot water tanks, they make everyday tasks faster and easier - from preparing tea and coffee to cooking and cleaning.

Available in a variety of styles and finishes, these faucets combine convenience with design flexibility. They offer a perfect blend of form and function, giving you both efficiency and a coordinated look in your kitchen.

View products on mountainplumbing.com





MT1800-NL

Hot Water Faucet with Modern Curved Body & Handle

MT1800-NL

- These Lead Free faucets are only compatible with the Little Gourmet® heating tank (MT641-3)
- 1/4 Turn Ceramic Cartridge
- 1-3/16" minimum to 1-3/8" maximum mounting hole required
- Heating tank is not included
- This hot water faucet is ICC listed
- Reverse Osmosis Safe
- NSF/ANSI/CAN 61: Q ≤ 1

Only Available In Limited Finishes, See Website For Details





MT1820-NL

Hot Water Faucet with Contemporary Round Body & Handle (120° Spout)

MT1820-NL

- These Lead Free faucets are only compatible with the Little Gourmet® heating tank (MT641-3)
- 1/4 Turn Ceramic Cartridge
- 1-3/16" minimum to 1-3/8" maximum mounting hole required
- Heating tank is not included
- This hot water faucet is ICC listed
- Reverse Osmosis Safe
- NSF/ANSI/CAN 61: Q ≤ 1



MT1820-NLIH

Hot Water Faucet with Contemporary Round Body & Industrial Lever Handle (120° Spout)

MT1820-NLIH

- These Lead Free faucets are only compatible with the Little Gourmet® heating tank (MT641-3)
- 1/4 Turn Ceramic Cartridge
- 1-3/16" minimum to 1-3/8" maximum mounting hole required
- Heating tank is not included
- This hot water faucet is ICC listed
- Reverse Osmosis Safe
- NSF/ANSI/CAN 61: Q ≤ 1





MT1830-NL

Hot Water Faucet with Contemporary Round Body & Handle (90° Spout)

MT1830-NL

- These Lead Free faucets are only compatible with the Little Gourmet® heating tank (MT641-3)
- 1/4 Turn Ceramic Cartridge
- 1-3/16" minimum to 1-3/8" maximum mounting hole required
- Heating tank is not included
- This hot water faucet is ICC listed
- Reverse Osmosis Safe
- NSF/ANSI/CAN 61: Q ≤ 1



MT1830-NLIH

Hot Water Faucet with Contemporary Round Body & Industrial Lever Handle (90° Spout)

MT1830-NLIH

- These Lead Free faucets are only compatible with the Little Gourmet® heating tank (MT641-3)
- 1/4 Turn Ceramic Cartridge
- 1-3/16" minimum to 1-3/8" maximum mounting hole required
- Heating tank is not included
- This hot water faucet is ICC listed
- Reverse Osmosis Safe
- NSF/ANSI/CAN 61: Q ≤ 1





MT1840-NL

Hot Water Faucet with Contemporary Round Body & Handle

MT1840-NL

- These Lead Free faucets are only compatible with the Little Gourmet® heating tank (MT641-3)
- 1/4 Turn Ceramic Cartridge
- 1-3/16" minimum to 1-3/8" maximum mounting hole required
- Heating tank is not included
- This hot water faucet is ICC listed
- Reverse Osmosis Safe
- NSF/ANSI/CAN 61: Q ≤ 1

* MT1840/SS Replaces Discontinued MT1400/SS



MT1840-NLIH

Hot Water Faucet with Contemporary Round Body & Industrial Lever Handle

MT1840-NLIH

- These Lead Free faucets are only compatible with the Little Gourmet® heating tank (MT641-3)
- 1/4 Turn Ceramic Cartridge
- 1-3/16" minimum to 1-3/8" maximum mounting hole required
- Heating tank is not included
- This hot water faucet is ICC listed
- Reverse Osmosis Safe
- NSF/ANSI/CAN 61: Q ≤ 1





Hot Water Faucet with Traditional Curved Body & Curved Handle

MT1850-NL

- These Lead Free faucets are only compatible with the Little Gourmet® heating tank (MT641-3)
- 1/4 Turn Ceramic Cartridge
- 1-3/16" minimum to 1-3/8" maximum mounting hole required
- Heating tank is not included
- This hot water faucet is ICC listed
- Reverse Osmosis Safe
- NSF/ANSI/CAN 61: Q ≤ 1



Hot Water Faucet with Traditional Double Curved Body & Curved Handle

MT1870-NL

- These Lead Free faucets are only compatible with the Little Gourmet® heating tank (MT641-3)
- 1/4 Turn Ceramic Cartridge
- 1-3/16" minimum to 1-3/8" maximum mounting hole required
- Heating tank is not included
- This hot water faucet is ICC listed
- Reverse Osmosis Safe
- NSF/ANSI/CAN 61: Q ≤ 1






Hot Water Faucet with Contemporary Square Body

MT1880-NL

- These Lead Free faucets are only compatible with the Little Gourmet® heating tank (MT641-3)
- 1/4 Turn Ceramic Cartridge
- 1-3/16" minimum to 1-3/8" maximum mounting hole required
- Heating tank is not included
- This hot water faucet is ICC listed
- Reverse Osmosis Safe
- NSF/ANSI/CAN 61: Q ≤ 1




Hot Water, Ready in Seconds
Anytime.



DIY KITS

Mountain Plumbing's DIY Kits **make installation simple and cost-effective.** Designed with all the essential parts included, these kits save time on the job and **reduce guesswork for both professionals and homeowners.** Reliable and convenient, they deliver the same quality and durability you expect from every Mountain product.



PREVIOUS DIY KITS

3 Year Warranty on Hot Tank

DIY KITS WITH FILTER

4 Year Warranty on Hot Tank



MT1800DIY-NL

Hot Water Faucet with Modern Curved Body & Handle Handle & Little Gourmet® Premium Hot Water Tank

MT1800DIY-NL

- 1/4 Turn Ceramic Cartridge
- 1-3/16" minimum to 1-3/8" maximum mounting hole required
- This hot water faucet is ICC listed
- Reverse Osmosis Safe
- NSF/ANSI/CAN 61: Q ≤ 1



Only Available In Limited Finishes, See Website For Details



MT1820DIY-NL

Hot Water Faucet with Contemporary Round Body & Handle (120° Spout) & Little Gourmet® Premium Hot Water Tank

MT1820DIY-NL

- 1/4 Turn Ceramic Cartridge
- 1-3/16" minimum to 1-3/8" maximum mounting hole required
- This hot water faucet is ICC listed
- Reverse Osmosis Safe
- NSF/ANSI/CAN 61: Q ≤ 1



MT1830DIY-NL

Hot Water Faucet with Contemporary Round Body & Handle (90° Spout) & Little Gourmet® Premium Hot Water Tank

MT1830DIY-NL

- 1/4 Turn Ceramic Cartridge
- 1-3/16" minimum to 1-3/8" maximum mounting hole required
- This hot water faucet is ICC listed
- Reverse Osmosis Safe
- NSF/ANSI/CAN 61: Q ≤ 1



MT1840DIY-NL

Hot Water Faucet with Contemporary Round Body & Handle & Little Gourmet® Premium Hot Water Tank

MT1840DIY-NL

- 1/4 Turn Ceramic Cartridge
- 1-3/16" minimum to 1-3/8" maximum mounting hole required
- This hot water faucet is ICC listed
- Reverse Osmosis Safe
- NSF/ANSI/CAN 61: Q ≤ 1



* MT1840/SS Replaces Discontinued MT1400/SS



MT1850DIY-NL

Hot Water Faucet with Traditional Curved Body & Curved Handle & Little Gourmet® Premium Hot Water Tank

MT1850DIY-NL

- 1/4 Turn Ceramic Cartridge
- 1-3/16" minimum to 1-3/8" maximum mounting hole required
- This hot water faucet is ICC listed
- Reverse Osmosis Safe
- NSF/ANSI/CAN 61: Q ≤ 1



MT1870DIY-NL

Hot Water Faucet with Traditional Double Curved Body & Curved Handle & Little Gourmet® Premium Hot Water Tank

MT1870DIY-NL

- 1/4 Turn Ceramic Cartridge
- 1-3/16" minimum to 1-3/8" maximum mounting hole required
- This hot water faucet is ICC listed
- Reverse Osmosis Safe
- NSF/ANSI/CAN 61: Q ≤ 1



MT1880DIY-NL

Hot Water Faucet with Contemporary Square Body & Little Gourmet® Premium Hot Water Tank

MT1880DIY-NL

- 1/4 Turn Ceramic Cartridge
- 1-3/16" minimum to 1-3/8" maximum mounting hole required
- This hot water faucet is ICC listed
- Reverse Osmosis Safe
- NSF/ANSI/CAN 61: Q ≤ 1





For Hot Tank

Hot Only Accessory Faucets
57 - 63

Faucets + Little Gourmet® DIY Packages
64 - 66

For Filters, Chiller, & Hot Tank

Hot & Cold Accessory Faucets
67 - 73

Single Handle Hot & Cold
73 - 74

Faucets + Little Gourmet® DIY Packages
74 - 76

For Filters & Chiller

Cold Accessory Faucets
77 - 83

Faucets + Mountain Pure® FIL Packages
84 - 86

ACCESSORY FAUCETS

HOT & COLD WATER

Mountain Plumbing's hot & cold accessory faucets give you the **best of both worlds in one fixture**. Designed to pair with our hot tanks, chillers, and filtration systems, they provide near-boiling water for cooking alongside refreshing chilled or purified water for beverages - all from a single faucet.

With **multiple design options and finishes**, these faucets offer both convenience and style. They streamline your sink area while delivering everyday functionality, making them an ideal choice for busy kitchens and modern lifestyles.

View products on mountainplumbing.com





4"



4-9/16"

8"

Hot & Cold Water Faucet with Modern Curved Body & Handles

MT1801-NL

- These Lead Free faucets are only compatible with the Little Gourmet® heating tank (MT641-3)
- 1/4 Turn Ceramic Cartridge
- 1-3/16" minimum to 1-3/8" maximum mounting hole required
- Heating tank is not included
- This hot & cold water faucet is ICC listed
- Reverse Osmosis Safe
- NSF/ANSI/CAN 61: Q ≤ 1

Only Available In Limited Finishes, See Website For Details



MT1801-NL



Hot & Cold Water Faucet with Contemporary Round Body & Handles (120° Spout)

MT1821-NL

- These Lead Free faucets are only compatible with the Little Gourmet® heating tank (MT641-3)
- 1/4 Turn Ceramic Cartridge
- 1-3/16" minimum to 1-3/8" maximum mounting hole required
- Heating tank is not included
- This hot & cold water faucet is ICC listed
- Reverse Osmosis Safe
- NSF/ANSI/CAN 61: Q ≤ 1



Hot & Cold Water Faucet with Contemporary Round Body & Industrial Lever Handles (120° Spout)

MT1821-NLIH

- These Lead Free faucets are only compatible with the Little Gourmet® heating tank (MT641-3)
- 1/4 Turn Ceramic Cartridge
- 1-3/16" minimum to 1-3/8" maximum mounting hole required
- Heating tank is not included
- This hot & cold water faucet is ICC listed
- Reverse Osmosis Safe
- NSF/ANSI/CAN 61: Q ≤ 1






MT1831-NL

Hot & Cold Water Faucet with Contemporary Round Body & Handles (90° Spout)

MT1831-NL

- These Lead Free faucets are only compatible with the Little Gourmet® heating tank (MT641-3)
- 1/4 Turn Ceramic Cartridge
- 1-3/16" minimum to 1-3/8" maximum mounting hole required
- Heating tank is not included
- This hot & cold water faucet is ICC listed
- Reverse Osmosis Safe
- NSF/ANSI/CAN 61: Q ≤ 1



MT1831-NLIH

Hot & Cold Water Faucet with Contemporary Round Body & Industrial Lever Handles (90° Spout)

MT1831-NLIH

- These Lead Free faucets are only compatible with the Little Gourmet® heating tank (MT641-3)
- 1/4 Turn Ceramic Cartridge
- 1-3/16" minimum to 1-3/8" maximum mounting hole required
- Heating tank is not included
- This hot & cold water faucet is ICC listed
- Reverse Osmosis Safe
- NSF/ANSI/CAN 61: Q ≤ 1





MT1841-NL

Hot & Cold Water Faucet with Contemporary Round Body & Handles

MT1841-NL

- These Lead Free faucets are only compatible with the Little Gourmet® heating tank (MT641-3)
- 1/4 Turn Ceramic Cartridge
- 1-3/16" minimum to 1-3/8" maximum mounting hole required
- Heating tank is not included
- This hot & cold water faucet is ICC listed
- Reverse Osmosis Safe
- NSF/ANSI/CAN 61: Q ≤ 1

* MT1841/SS Replaces Discontinued MT1401/SS



MT1841-NLIH

Hot & Cold Water Faucet with Contemporary Round Body & Industrial Lever Handles

MT1841-NLIH

- These Lead Free faucets are only compatible with the Little Gourmet® heating tank (MT641-3)
- 1/4 Turn Ceramic Cartridge
- 1-3/16" minimum to 1-3/8" maximum mounting hole required
- Heating tank is not included
- This hot & cold water faucet is ICC listed
- Reverse Osmosis Safe
- NSF/ANSI/CAN 61: Q ≤ 1





MT1851-NL

Hot & Cold Water Faucet with Traditional Curved Body & Curved Handles

MT1851-NL

- These Lead Free faucets are only compatible with the Little Gourmet® heating tank (MT641-3)
- 1/4 Turn Ceramic Cartridge
- 1-3/16" minimum to 1-3/8" maximum mounting hole required
- Heating tank is not included
- This hot & cold water faucet is ICC listed
- Reverse Osmosis Safe
- NSF/ANSI/CAN 61: Q ≤ 1



MT1871-NL

Hot & Cold Water Faucet with Traditional Double Curved Body & Curved Handles

MT1871-NL

- These Lead Free faucets are only compatible with the Little Gourmet® heating tank (MT641-3)
- 1/4 Turn Ceramic Cartridge
- 1-3/16" minimum to 1-3/8" maximum mounting hole required
- Heating tank is not included
- This hot & cold water faucet is ICC listed
- Reverse Osmosis Safe
- NSF/ANSI/CAN 61: Q ≤ 1





MT1881-NL

Hot & Cold Water Faucet with Contemporary Square Body

MT1881-NL

- These Lead Free faucets are only compatible with the Little Gourmet® heating tank (MT641-3)
- 1/4 Turn Ceramic Cartridge
- 1-3/16" minimum to 1-3/8" maximum mounting hole required
- Heating tank is not included
- This hot & cold water faucet is ICC listed
- Reverse Osmosis Safe
- NSF/ANSI/CAN 61: Q ≤ 1



MT1900-NL

Single Handle Hot & Cold Faucet

MT1900-NL

- Hot & Cold – dispenses near 200° water and cool drinking water
- Activate the instant hot water by first pressing down on the button located on the lever and pushing backward. Pull forward for cold water.
- To be used with the Little Gourmet heating tank (MT641-3 sold separately)
- 1-3/16" minimum to 1-3/8" maximum mounting hole required
- Durable All Brass Construction for Faucet
- Minimalistic Styling Standing at 8" Tall
- Reverse Osmosis Safe
- NSF/ANSI/CAN 61: Q ≤ 1




VIEW
PRODUCT
PAGE



DIY KITS

Mountain Plumbing's DIY Kits **make installation simple and cost-effective.** Designed with all the essential parts included, these kits save time on the job and **reduce guesswork for both professionals and homeowners.** Reliable and convenient, they deliver the same quality and durability you expect from every Mountain product.



PREVIOUS DIY KITS

3 Year Warranty on Hot Tank

DIY KITS WITH FILTER

4 Year Warranty on Hot Tank



Single Handle Hot & Cold Faucet & Little Gourmet® Premium Hot Water Tank

MT1900DIY-NL

- Hot & Cold – dispenses near 200° water and cool drinking water
- Activate the instant hot water by first pressing down on the button located on the lever and pushing backward. Pull forward for cold water.
- 1-3/16” minimum to 1-3/8” maximum mounting hole required
- Durable All Brass Construction for Faucet
- Minimalistic Styling Standing at 8” Tall
- Reverse Osmosis Safe
- NSF/ANSI/CAN 61: Q ≤ 1





MT1801DIY-NL

Hot & Cold Water Faucet with Modern Curved Body & Handles & Little Gourmet® Premium Hot Water Tank

MT1801DIY-NL

- 1/4 Turn Ceramic Cartridge
- 1-3/16" minimum to 1-3/8" maximum mounting hole required
- This hot & cold water faucet is ICC listed
- Reverse Osmosis Safe
- NSF/ANSI/CAN 61: Q ≤ 1



Only Available In Limited Finishes, See Website For Details



MT1821DIY-NL

Hot & Cold Water Faucet with Contemporary Round Body & Handles (120° Spout) & Little Gourmet® Premium Hot Water Tank

MT1821DIY-NL

- 1/4 Turn Ceramic Cartridge
- 1-3/16" minimum to 1-3/8" maximum mounting hole required
- This hot & cold water faucet is ICC listed
- Reverse Osmosis Safe
- NSF/ANSI/CAN 61: Q ≤ 1



MT1831DIY-NL

Hot & Cold Water Faucet with Contemporary Round Body & Handles (90° Spout) & Little Gourmet® Premium Hot Water Tank

MT1831DIY-NL

- 1/4 Turn Ceramic Cartridge
- 1-3/16" minimum to 1-3/8" maximum mounting hole required
- This hot & cold water faucet is ICC listed
- Reverse Osmosis Safe
- NSF/ANSI/CAN 61: Q ≤ 1



MT1841DIY-NL

Hot & Cold Water Faucet with Contemporary Round Body & Handles & Little Gourmet® Premium Hot Water Tank

MT1841DIY-NL

- 1/4 Turn Ceramic Cartridge
- 1-3/16" minimum to 1-3/8" maximum mounting hole required
- This hot & cold water faucet is ICC listed
- Reverse Osmosis Safe
- NSF/ANSI/CAN 61: Q ≤ 1



* MT1841/SS Replaces Discontinued MT1401/SS



MT1851DIY-NL

Hot & Cold Water Faucet with Traditional Curved Body & Curved Handles & Little Gourmet® Premium Hot Water Tank

MT1851DIY-NL

- 1/4 Turn Ceramic Cartridge
- 1-3/16" minimum to 1-3/8" maximum mounting hole required
- This hot & cold water faucet is ICC listed
- Reverse Osmosis Safe
- NSF/ANSI/CAN 61: Q ≤ 1



MT1871DIY-NL

Hot & Cold Water Faucet with Traditional Double Curved Body & Curved Handles & Little Gourmet® Premium Hot Water Tank

MT1871DIY-NL

- 1/4 Turn Ceramic Cartridge
- 1-3/16" minimum to 1-3/8" maximum mounting hole required
- This hot & cold water faucet is ICC listed
- Reverse Osmosis Safe
- NSF/ANSI/CAN 61: Q ≤ 1



MT1881DIY-NL

Hot & Cold Water Faucet with Contemporary Square Body & Little Gourmet® Premium Hot Water Tank

MT1881DIY-NL

- 1/4 Turn Ceramic Cartridge
- 1-3/16" minimum to 1-3/8" maximum mounting hole required
- This hot & cold water faucet is ICC listed
- Reverse Osmosis Safe
- NSF/ANSI/CAN 61: Q ≤ 1





For Hot Tank

Hot Only Accessory Faucets
57 - 63

Faucets + Little Gourmet® DIY Packages
64 - 66

For Filters, Chiller, & Hot Tank

Hot & Cold Accessory Faucets
67 - 73

Single Handle Hot & Cold
73 - 74

Faucets + Little Gourmet® DIY Packages
74 - 76

For Filters & Chiller

Cold Accessory Faucets
77 - 83

Faucets + Mountain Pure® FIL Packages
84 - 86

ACCESSORY FAUCETS

COLD WATER

Mountain Plumbing's point-of-use accessory faucets **deliver refreshing cold water** directly at your sink. Designed to pair with our Mountain Pure® filtration systems or the Mountain Chill® Water Chiller, they provide crisp, clean water whenever you need it.

Available in a variety of styles and finishes, these faucets blend seamlessly with your kitchen design. They bring everyday convenience and peace of mind by ensuring your family always has pure, great-tasting water on tap.

View products on mountainplumbing.com





4"



4-9/16"

8"

Point-of-Use Drinking Faucet with Modern Curved Body & Handle

MT1803-NL

- 1/4 Turn Ceramic Cartridge
- These faucets are constructed with lead free brass
- 1/2" minimum to 1-3/8" maximum mounting hole required
- This drinking water faucet is ICC listed
- Reverse Osmosis Safe
- NSF/ANSI/CAN 61: Q ≤ 1

Only Available In Limited Finishes, See Website For Details



MT1803-NL



MT1823-NL

Point-of-Use Drinking Faucet with Contemporary Round Body & Handle (120° Spout)

MT1823-NL

- 1/4 Turn Ceramic Cartridge
- These faucets are constructed with lead free brass
- 1/2" minimum to 1-3/8" maximum mounting hole required
- This drinking water faucet is ICC listed
- Reverse Osmosis Safe
- NSF/ANSI/CAN 61: Q ≤ 1



MT1823-NLIH

Point-of-Use Drinking Faucet with Contemporary Round Body & Industrial Lever Handle (120° Spout)

MT1823-NLIH

- 1/4 Turn Ceramic Cartridge
- These faucets are constructed with lead free brass
- 1/2" minimum to 1-3/8" maximum mounting hole required
- This drinking water faucet is ICC listed
- Reverse Osmosis Safe
- NSF/ANSI/CAN 61: Q ≤ 1





MT1833-NL

Point-of-Use Drinking Faucet with Contemporary Round Body & Handle (90° Spout)

MT1833-NL

- 1/4 Turn Ceramic Cartridge
- These faucets are constructed with lead free brass
- 1/2" minimum to 1-3/8" maximum mounting hole required
- This drinking water faucet is ICC listed
- Reverse Osmosis Safe
- NSF/ANSI/CAN 61: Q ≤ 1



MT1833-NLIH

Point-of-Use Drinking Faucet with Contemporary Round Body & Industrial Lever Handle (90° Spout)

MT1833-NLIH

- 1/4 Turn Ceramic Cartridge
- These faucets are constructed with lead free brass
- 1/2" minimum to 1-3/8" maximum mounting hole required
- This drinking water faucet is ICC listed
- Reverse Osmosis Safe
- NSF/ANSI/CAN 61: Q ≤ 1





Point-of-Use Drinking Faucet with Contemporary Round Body & Handle

MT1843-NL

- 1/4 Turn Ceramic Cartridge
- These faucets are constructed with lead free brass
- 1/2" minimum to 1-3/8" maximum mounting hole required
- This drinking water faucet is ICC listed
- Reverse Osmosis Safe
- NSF/ANSI/CAN 61: Q ≤ 1

* MT1843/SS Replaces Discontinued MT1403/SS



Point-of-Use Drinking Faucet with Contemporary Round Body & Industrial Lever Handle

MT1843-NLIH

- 1/4 Turn Ceramic Cartridge
- These faucets are constructed with lead free brass
- 1/2" minimum to 1-3/8" maximum mounting hole required
- This drinking water faucet is ICC listed
- Reverse Osmosis Safe
- NSF/ANSI/CAN 61: Q ≤ 1





MT1853-NL

Point-of-Use Drinking Faucet with Traditional Curved Body & Curved Handle

MT1853-NL

- 1/4 Turn Ceramic Cartridge
- These faucets are constructed with lead free brass
- 1/2" minimum to 1-3/8" maximum mounting hole required
- This drinking water faucet is ICC listed
- Reverse Osmosis Safe
- NSF/ANSI/CAN 61: Q ≤ 1



MT1873-NL

Point-of-Use Drinking Faucet with Traditional Double Curved Body & Curved Handle

MT1873-NL

- 1/4 Turn Ceramic Cartridge
- These faucets are constructed with lead free brass
- 1/2" minimum to 1-3/8" maximum mounting hole required
- This drinking water faucet is ICC listed
- Reverse Osmosis Safe
- NSF/ANSI/CAN 61: Q ≤ 1





MT1883-NL

Point-of-Use Drinking Faucet with Contemporary Square Body

MT1883-NL

- 1/4 Turn Ceramic Cartridge
- These faucets are constructed with lead free brass
- 1/2" minimum to 1-3/8" maximum mounting hole required
- This drinking water faucet is ICC listed
- Reverse Osmosis Safe
- NSF/ANSI/CAN 61: Q ≤ 1



Fresh, Clean Water
Every Time.



FIL KITS

Mountain Plumbing's FIL Kits make installation **simple, consistent, and cost-effective**. Each kit is designed with all the essential parts included, eliminating the need to source components separately and ensuring everything works together seamlessly. This **saves time on the job, reduces guesswork for both professionals and homeowners**, and helps guarantee a successful installation every time. Reliable and convenient, FIL Kits deliver the same quality, precision, and durability you expect from every Mountain product - all in one easy package.



Household Lead: The Facts

Lead in drinking water accounts for 10-20% of human exposure. Major sources of lead in your drinking water could be found in your home's plumbing system. **Lead can leach into your water from pipes, solder, and faucets.**



High Blood Pressure

Lead can increase the risk of high blood pressure.



Kidney Damage

Lead can increase the risk of kidney damage.



Bone Damage

Lead can increase the risk of bone damage.



Risk to Pregnant Mothers

Lead can be a potentially fatal risk to pregnant mothers.

Homes built prior to 1986 may have 20% or more lead in their plumbing system. **Lead can be found in newer homes as well. Until June 2014, the legal limit for "lead-free" pipes was up to 8%.**

Source: United States Environmental Protection Agency (EPA)



MT1803FIL-NL

Point-of-Use Drinking Faucet with Modern Curved Body & Handle & Mountain Pure® Water Filtration System

MT1803FIL-NL

- 1/4 Turn Ceramic Cartridge
- These faucets are constructed from lead free brass
- 1/2" minimum to 1-3/8" maximum mounting hole required
- This drinking water faucet is ICC listed
- NSF/ANSI/CAN 61: Q ≤ 1



Only Available In Limited Finishes, See Website For Details



MT1823FIL-NL

Point-of-Use Drinking Faucet with Contemporary Round Body & Handle (120° Spout) & Mountain Pure® Water Filtration System

MT1823FIL-NL

- 1/4 Turn Ceramic Cartridge
- These faucets are constructed from lead free brass
- 1/2" minimum to 1-3/8" maximum mounting hole required
- This drinking water faucet is ICC listed
- NSF/ANSI/CAN 61: Q ≤ 1



MT1833FIL-NL

Point-of-Use Drinking Faucet with Contemporary Round Body & Handle (90° Spout) & Mountain Pure® Water Filtration System

MT1833FIL-NL

- 1/4 Turn Ceramic Cartridge
- These faucets are constructed from lead free brass
- 1/2" minimum to 1-3/8" maximum mounting hole required
- This drinking water faucet is ICC listed
- NSF/ANSI/CAN 61: Q ≤ 1



MT1843FIL-NL

Point-of-Use Drinking Faucet with Contemporary Round Body & Handle & Mountain Pure® Water Filtration System

MT1843FIL-NL

- 1/4 Turn Ceramic Cartridge
- These faucets are constructed from lead free brass
- 1/2" minimum to 1-3/8" maximum mounting hole required
- This drinking water faucet is ICC listed
- NSF/ANSI/CAN 61: Q ≤ 1



* MT1843/SS Replaces Discontinued MT1403/SS




MT1853FIL-NL

Point-of-Use Drinking Faucet with Traditional Curved Body & Curved Handle & Mountain Pure® Water Filtration System

MT1853FIL-NL

- 1/4 Turn Ceramic Cartridge
- These faucets are constructed from lead free brass
- 1/2" minimum to 1-3/8" maximum mounting hole required
- This drinking water faucet is ICC listed
- NSF/ANSI/CAN 61: Q ≤ 1



MT1873FIL-NL

Point-of-Use Drinking Faucet with Traditional Double Curved Body & Curved Handle & Mountain Pure® Water Filtration System

MT1873FIL-NL

- 1/4 Turn Ceramic Cartridge
- These faucets are constructed from lead free brass
- 1/2" minimum to 1-3/8" maximum mounting hole required
- This drinking water faucet is ICC listed
- NSF/ANSI/CAN 61: Q ≤ 1



MT1883FIL-NL

Point-of-Use Drinking Faucet with Contemporary Square Body & Mountain Pure® Water Filtration System

MT1883FIL-NL

- 1/4 Turn Ceramic Cartridge
- These faucets are constructed from lead free brass
- 1/2" minimum to 1-3/8" maximum mounting hole required
- This drinking water faucet is ICC listed
- NSF/ANSI/CAN 61: Q ≤ 1





Point-of-Use Drinking Faucet with Teardrop Body & Side Handle

MT600-NL

- 1/4 Turn Ceramic Cartridge
- 1/2" minimum to 1-3/8" maximum mounting hole required
- Reverse Osmosis Safe - Optional AG1800 air gap may be required for Reverse Osmosis Filters
- This drinking water faucet is IAPMO listed
- NSF/ANSI/CAN 61: Q ≤ 1



Point-of-Use Drinking Faucet with Round Tapered Body & Angled Side Handle

MT624-NL

- 1/4 Turn Ceramic Cartridge
- 1/2" minimum to 1-3/8" maximum mounting hole required
- Reverse Osmosis Safe - Optional AG1800 air gap may be required for Reverse Osmosis Filters
- This drinking water faucet is IAPMO listed
- NSF/ANSI/CAN 61: Q ≤ 1



Point-of-Use Drinking Faucet with Contemporary Round Body & Side Handle

MT630-NL

- 1/4 Turn Ceramic Cartridge
- 1/2" minimum to 1-3/8" maximum mounting hole required
- Reverse Osmosis Safe - Optional AG1800 air gap may be required for Reverse Osmosis Filters
- This drinking water faucet is IAPMO listed
- NSF/ANSI/CAN 61: Q ≤ 1





Faucet Air Gap Unit for MT1823-NL, MT1833-NL, & MT1843-NL

AG1800

A reverse osmosis air gap usually required by the filter manufacturer and plumbing codes for installing select faucets.

- Requires two mounting holes
- Use with Little Gourmet® point of use drinking faucets



Faucet Air Gap Unit for MT1853-NL & MT1873-NL

AG1850

A reverse osmosis air gap usually required by the filter manufacturer and plumbing codes for installing select faucets.

- Requires two mounting holes
- Use with Little Gourmet® point of use drinking faucets



Hot Side Replacement Cartridge for Accessory Faucets

DHM32324

Hot side replacement cartridge used for the following faucets:

- MT1800-NL, MT1801-NL
- MT1820-NL, MT1821-NL
- MT1830-NL, MT1831-NL
- MT1840-NL, MT1841-NL
- MT1850-NL, MT1851-NL
- MT1870-NL, MT1871-NL
- MT1880-NL, MT1881-NL



Cold Side Replacement Cartridge for Accessory Faucets

DHM32325

Cold side replacement cartridge used for the following faucets:

- MT1803-NL, MT1801-NL
- MT1823-NL, MT1821-NL
- MT1833-NL, MT1831-NL
- MT1843-NL, MT1841-NL
- MT1853-NL, MT1851-NL
- MT1873-NL, MT1871-NL
- MT1883-NL, MT1881-NL



Hot & Cold Side Replacement Cartridge for MT1900-NL Faucet

MTBF26028

Hot & Cold side replacement cartridge used for the single handle MT1900-NL faucet.



Threaded Shank Adaptor for Thicker Countertop Installations

MT600/ADPT

All Point of Use Faucets will fit 2 1/4" thick deck. Adaptor will lengthen this shank by 2 3/4"

